

POND-CLEAR



ACTIVE INGREDIENTS:

Copper Sulfate Pentahydrate* (CAS No. 7758-99-8)	21.5%
OTHER INGREDIENTS	78.5%
TOTAL	100.0%

*Metallic Copper 5.46% by weight

9.68 POUNDS PER GALLON DENSITY 1.16 g/mL
This product contains 0.53 lbs/gal metallic copper.

Product Information

For algae control, apply in the late spring or early summer when algae first appear. The dosages are variable and depend upon algae species, water hardness, water temperature, amount of algae present, as well as whether water is clear, turbid, flowing or static. Preferably, the water should be clear with temperature above 60 degrees F (15.6 degrees C).

DIRECTIONS

Application should be done by pouring a measured amount of PondClear directly from a container into the lakes, ponds or reservoirs. PondClear is very soluble and will quickly disperse. PondClear application should be applied at several points in the ponds, lakes or reservoirs. Larger bodies of water can be treated with PondClear by dragging a feeder hose behind a boat across the body of water. This will speed up the dispersal of the product to give a quicker control of algae. PondClear will quickly diffuse throughout the water body in several hours.

Conditions of Sale, Limitation of Warranty & Liability

Limitation of Liability: In no event shall the seller or manufacturer be liable for special, incidental, or consequential damages or damages in the nature of penalties. Seller or manufacturer shall not be liable to the buyer, by way of indemnification to customer or buyer, if any, for any damages, sums or money, claims or demands whatsoever, resulting from or by reason of, or arising out of the misuse or the failure to follow label warnings or instructions for the use of the goods sold by the seller or manufacturer to the buyer. Buyer's or user's exclusive remedy and seller's or manufacturer's total liability shall be for damages not exceeding the cost of the product.

Warranty Disclaimer: ineffectiveness or other unintended consequences may result from such factors as the presence of other materials or the manner of use or application, all of which are beyond the control of the seller or manufacturer. In no case shall the seller or manufacturer be liable for consequential, special, or indirect damages resulting from the use or handling of this product. The buyer or its customers shall assume all such risks. Tests have not been carried out under all possible conditions, and the seller or manufacturer cannot and does not warrant that the products are compatible with all other chemicals. The seller or manufacturer warrants the material is adequately contained, packaged, and labeled and conforms to the affirmation of fact made on the container and label. Seller or manufacturer makes no other warranties, guarantees, or representations of any kind, either expressed or implied, or by use of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

AgriTec, Int. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale or limitations of warranty and of liability, which may not be modified except by a written agreement signed by a duly authorized representative of AgriTec, Int.

ENVIRONMENTAL HAZARDS

Waters treated with this product may be hazardous to aquatic organisms. Treatment of aquatic weeds and algae can result in oxygen loss from decomposition of dead algae and weeds. This oxygen loss can cause fish and invertebrate suffocation. To minimize hazard, do

not treat more than 1/2 of the water body to avoid depletion of oxygen due to decaying vegetation. Wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. In regions where ponds freeze in winter, treatment should be done 6 to 8 weeks before expected freeze time to prevent masses of decaying algae under an ice cover. Consult with the State or local agency with primary responsibility for regulating pesticides before applying to public waters, to determine if a permit is required. Certain water conditions including low pH (6.5 or lower), low dissolved organic carbon (DOC) levels (3.0 mg/L or lower), and "soft" waters (i.e., alkalinity less than 50 mg/L), increases the potential acute toxicity to non-target aquatic organism. Do not use in ornamental fish ponds or other artificial aquaculture systems containing Koi or trout.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER / PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if swallowed.


Harmful if absorbed through skin or on clothing.

Harmful if inhaled.

Do not get in eyes, on skin or on clothing.

CAUTION!

KEEP OUT OF REACH OF CHILDREN
DO NOT SWALLOW. STORE BELOW 120 DEGREES F.



Please dispose of
contents properly

55 U.S. GALLONS (208.2 liters)
Net Weight: 532.4 lbs. (241.5 kgs)
Density: 9.68 lbs/gal at 68 degrees F

275 U.S. GALLONS (1,040.99 liters)
Net Weight: 2,662 lbs. (1,207.5 kgs)
Density: 9.68 lbs/gal at 68 degrees F

All liquid fertilizers must be applied using
liquid fertilizer spraying tips.

FOR MORE INFORMATION, VISIT
WWW.AGRITECINT.COM

Store out of direct sunlight and shake well before using. Always
do a compatibility check to ensure proper mixing.

Manufactured and Distributed by:
AgriTec International
3329 N I-35 Frontage Rd.
Gainesville, Texas 76240